

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/AU04/001745

International filing date: 10 December 2004 (10.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: AU
Number: 2003906888
Filing date: 10 December 2003 (10.12.2003)

Date of receipt at the International Bureau: 11 January 2005 (11.01.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



PCT/AU2004/001745

Australian Government

Patent Office
Canberra

I, LEANNE MYNOTT, MANAGER EXAMINATION SUPPORT AND SALES hereby certify that annexed is a true copy of the Provisional specification in connection with Application No. 2003906888 for a patent by CLICKVIEW PTY LIMITED as filed on 10 December 2003.



WITNESS my hand this
Twenty-fourth day of December 2004

A handwritten signature in dark ink, appearing to be 'L. Mynott'.

LEANNE MYNOTT
MANAGER EXAMINATION SUPPORT
AND SALES

Media Storage and Distribution in a Local Area Network

Field of the Invention

5

The invention pertains to the distribution of digital media storage over a network and more particularly to methods, apparatus and software for storing and distributing media files such as digital video in an environment such as or analogous to a school having classrooms in which there are multiple personal computers.

10

Background of the Invention

There are three basic solutions for the delivery of video on a computer network. The first is streaming of digital video from a server on a local area network of computers to other computers on the network ("local streaming"). The second is streaming of digital video from a server outside a network of computers, over the Internet, to the local area network of computers ("Internet streaming"). The third is storage and access of digital video files from a network drive ("network drive access").

20

The streaming of digital video (either local streaming or Internet streaming) occurs when a server pushes non-encrypted video to a client computer in small increments at the same rate as the video is being viewed. No file is transferred in the process. Rather, the server is incrementally telling the client computer what to display in real time. The streaming of digital video has shortcomings.

25

Streaming places a very high workload on the server computer, which limits the number of clients that the video can be sent to. Further, the number of clients which receive the pushed video is limited by the capacity of the network cable, as the video is pushed to each client at the same time. The result when it is pushed to too many terminals is that the video slows down or stops. In addition, the video must be streamed unencrypted over the network, allowing users to copy the digital video file. Similarly, the video must be stored unencrypted on the server, allowing users access

30

to copy the digital video file (exposing the content to unlimited digital piracy).

Further, the video must be delivered from a central server as other computers on the network are not capable of streaming video. If a student wishes to re-watch a video (or chapter from a video), the streaming server must resend the video to the client.

- 5 Highly compressed video, which uses up far less capacity of a network cable, cannot be effectively streamed.

A network drive is a hard disk in a computer connected to a network. If a digital video file is stored on a network drive, a video player on another computer on the network can play the file straight from the network drive (in the same manner as the computer would access its own hard drive). During this process, video is still
10 streamed from one computer to another.

Network Drive Access, as well as having all the shortcomings of other
15 streaming options, is inadequate because it allows any user of the network to access or copy the digital video file. It also doesn't facilitate the browsing of meta data attached to digital video files or the tracking of which files have been played and when. Further, if a student wishes to re-watch or replay a video (or chapter from a video), the network drive from which the video is being streamed, must re-stream the digital
20 video file to the receiving computer.

It should be considered that the invention is disclosed with reference to the distribution of video files. This is a useful application of the invention, however the reason video files are selected to illustrate the invention is because they are large. The
25 invention is equally useful to the distribution of large music files or multimedia files of various kinds and the invention should not be thought of as pertaining strictly to video.

30 **Brief Description of the Drawing Figures**

Figure 1 is a representative screen shot of the Player according to the teachings of the present invention;

Figure 2 is a screenshot of the Player depicted in Figure 1 showing the searching function;

Figure 3 is a screenshot from the Player depicted in Figures 1 and 2 showing how a
5 Classroom is accessed;

Figure 4 is a screenshot of a Classroom management window;

Figure 5 is a screenshot of a window for creating and editing a Classroom;
10

Figure 6 is a screenshot of a Library window;

Figure 7 is a screenshot of the Library window depicted in Figure 6, showing the features associated with the management of the collection;
15

Figure 8 is a screenshot of the Library showing how a Video is added to the history category;

Figure 9 is a flow chart illustrating the interaction the Player and Library software;
20

Figure 10 is a flow chart illustrating Predictive Chapter Buffering; and

Figure 11 is a chart illustrating Classroom Data Localisation.
25

Best Modes and Other Embodiments of the Invention

One of the technologies provided by the present invention is a package of software applications which allows students and teachers to store, view and
30 manipulate digital video files, or any other media files, on a local area network of computers. There are two main parts to this software package. These two parts will be referred to as the Library and the Player.

The Player and Library have been developed as Windows-based software applications built in Visual Basic using the .NET framework. A MacIntosh version of the Player has also been developed using Java 1.4.

5 The Library is a software application that enables the storing and serving of digital video files. The Library uses the computer on which it is installed as a server. This means it enables the computer to serve (or transfer) digital video files to any other computer on the local area network which has the Player installed. The Library can be installed and used on any computer on a local area network.

10

 The Player is a software application which enables the viewing of digital video files from any computer on a local area network. The Player is used to search for, browse and request digital video files from the Library. The digital video file remains cached (temporarily stored) on the requesting computer for a specified period of time so that it can be replayed at any time for the convenience of the viewer. The requesting computer can also serve the video to other computers, for example, those in the same classroom.

15

 If the digital video file is chapterised, meaning it is broken up into separate sections of lesser duration, then, only those individual chapters need be requested from the Library. Also, chapters from different videos can be requested by the Player at the same time. Further, different videos (or chapters from videos) can be requested and played by several different requesting computers at the same time.

20

25 All digital video files stored in the Library are encrypted at all times. When the files are transferred to the Player, they are transferred in encrypted form, and are only unencrypted temporarily by the Player as they are being viewed.

25

30 Two features provide benefits over know distribution solutions. These are predictive chapter buffering and classroom data localisation.

30

Data Encryption and Compression

In many instances of use, the Library transmits distinct chapters (defined as either arbitrary or purposeful subdivisions of a file) rather than a whole video or a
5 stream of the video to each requesting computer with the Player installed. The Player will not display a chapter until the entire file has been received.

The first benefit is the ability to use powerful compression technologies to reduce the file sizes of the video files being sent across a local area network, which has the
10 benefit of substantially increasing the number of computers which can receive video files as the files use up less of the bandwidth on the local area network. Compression substantially reduces the load on the processing capacity of the computer on which the Library is installed, which means a substantially greater number of videos can be sent simultaneously. It also provides that video of substantially higher-quality (for example
15 DVD quality video) can be sent to, and then viewed on the Player. Additionally, any media format for the video file (MPEG or otherwise) can be used and distributed. Distribution of compressed chapters is particularly suited to education and training as visual learning is optimised when it is delivered in smaller, modularised forms (such as chapters). Smaller encrypted video files served to client computers (from the
20 Library to the Player), as smaller files take less time to decrypt than larger files.

Having a smaller file encrypted means the delay between the Player requesting a video to be played and it actually being viewed (after the decryption process) is reduced. If a user wishes to play two chapters of a video consecutively, then reducing
25 the time taken to decrypt a file means a subsequent video file can be sent closer to the time the second chapter needs to be played, meaning a greater number of computers can be sent consecutive chapters. Likewise a complete video can be broken into chapters, and sent only when the computer playing the video requires the chapter (without the viewer realising the video has been broken into chapters), which means
30 the time from the initial request of the video to the playing of the video is reduced, and means a greater number of computers can request video files at the same time.

Within the whole video delivery methodology of the present invention, the video files are encrypted at all times, except for the actual playing of the video by the

Player. During the playing of the unencrypted video, the viewer cannot access, copy, delete or corrupt the video file because the Player never leaves an image of the unencrypted file on the user's hard drive. In this manner, the present delivery methodology offers a unique means of ensuring a file cannot be copied, deleted, corrupted or manipulated, except as prescribed by the configuration of the Player.

Predictive Chapter Buffering

The present methods are able to effectively deliver highly compressed video to students and teachers (or analogous users) by using Predictive Chapter Buffering. In this way, the Library is able to deliver video of higher quality than other video delivery techniques, with the added flexibility of being able to deliver all digital video formats. The delivery occurs in distinct chapters rather than whole videos, or a stream of the video. The Player does not display a chapter until the entire file has been received allowing for highly compressed videos (which require the entire file to have been received before it can be decoded) to be sent over the network. This technique is not normally associated with video delivery, but is of great use to educational video within a school network since educational video (1) can be easily divided into chapters (2) is often viewed on a per-chapter basis unlike conventional video.

Predictive Chapter Buffering also allows the present system to keep the data encrypted during the transfer of the video between the server and the client.

Using Predictive Chapter Buffering, the invention delivers only the video immediately required by the student, but does not encounter the complexity of video streaming hence allowing for far greater video delivery capabilities.

The sending of chapters from the Library to the Player occurs preferably in a predictive manner. This means the Library and the Player communicate with each other, to determine how long a file will take to send to the Player, and the Library will not send that file until it is needed by the Player.

By using this form of strategy, the present methodology spreads out the processing load on the server and the use of cable bandwidth, which is of benefit because it increases the number of video files which can be requested and viewed simultaneously. It also means whole videos can be played in the one viewing, but
5 broken into chapters without the viewer realising.

The word "buffering" means the temporary storing of data during a computer operation. We use this word in the context of the invention, because a complete chapter file is transmitted to the client computer before playing, unlike streaming
10 where video is pushed across the network in real time.

Predictive Chapter Buffering is achieved by developing the Library so that it individually serves chapter files on demand rather than entire videos. The Library assigns unique identifiers which the Player uses to reference the collection of digital
15 files sitting on the Library. When the Player obtains the details of each video from the Library, it is given a list of the unique chapter identifiers which make up the video.

When a user selects to view an individual chapter, a request for the chapter file with its unique identifier, is sent to the Library. The Library then returns the entire
20 chapter file to the Player. When the Player receives this file, it temporarily stores this video on its local drive, and then displays it to the user.

When a user selects to view an entire video, the Player will request the first chapter of the video from the Library. As the first chapter nears its conclusion, the
25 Player senses that the next chapter will soon be required, and hence will automatically request the entire next chapter from the Library. The Player will compare the amount of time left in the chapter relative to the predicted amount of time required to request/receive the proceeding file from the Library.

30 Classroom Data Localisation

One of the functions available in the Player is the ability to set up a Classroom Folder and deliver to it one or more videos, or chapters from videos. A Classroom Folder is a folder set up by the Player which thereafter acts as a server and can be seen

and accessed on other computers on the network. It is done by simply clicking and dragging the icons for the videos or chapters of videos into the Classroom Folder.

5 When the whole video or chapter files are first selected, they appear in the Classroom Folder as 'ghost images' of the files. When the Classroom Folder is confirmed to be added, the files are then sent to the requesting or client computer. The requesting computer is then initialised to become a server itself, able to serve video files to other computers located in the same physical room or in close proximity of its connection to the network. This is deemed Classroom Data Localisation.

10

Classroom Data Localisation has several key benefits. It reduces the load on the main server on the local area network, as another computer (or computers) on the network are being used as a sub-server. It is able to reduce the latency between the request of a video file by the Player and the receiving of the file as the sub-server is physically closer to the client computers on the network. It substantially increases the potential number of concurrent viewers of a video file, as any number of sub-servers can be established. For example, if the server capacity, and bandwidth capacity mean 20 terminals could be sent a video file at the same time, then by sending the file to 20 sub-servers, means the total number of viewers can be increased to 400, as 20 sub-servers could then send on to 20 terminals each in their vicinity. In combination with the predictive sending of smaller chapters of files, this greatly increases the number of viewers and the number of video files which can be viewed at any one time.

25 Classroom Folders may be created with a mixture of media files (videos, chapters from videos, still photographs, Word documents, Flash files, or anything that can be stored as a digital file.). Moreover, each terminal on which the Player is operating to control the playing of the video (stopping, replaying etc), as well as being able to simultaneously run other media and other functions on that computer (such as having a web browser open, or a word document, or otherwise).

30 In a learning or training environment, this facilitates self-paced learning, as well as the use of multi-media by teachers and students, without special training or technical know how. As hardware and network capacity increases, the capacity to view videos (or any other media file) using the invention will not increase incrementally (as it would with streaming), it will increase exponentially.

Classroom Data Localisation is achieved by porting the file serving capabilities of the Library into the Player. In this way, when a teacher creates a lesson plan for the class, the teacher's computer automatically becomes a localised server for the students located within that area of the network.

When the user of the Player creates a Classroom Folder, the selected files will be sent from the Library to the Player and then temporarily stored on their local drive. The Library then obtains the IP address of the 'sub-server' machine which these files are now also stored on. A socket on the Player is then opened which listens for requests for these files from another instance of the Player. When another user of the Player tries to access the contents of this Classroom Folder, the Library will be instructed to forward the request to the IP address associated with the sub-server (as depicted by the details of the classroom). If the sub-server is unable to process the request, the request will be forwarded to the Library.

Illustrative Examples of the Invention

As shown in Figure 1, the Player software is accessed by a GUI 100 depicted on a user's PC as window 1 which is subdivided into several functional areas. A subdivision or a frame of the window 110 along the left margin includes a viewing area having 3 tabs 112. The tabs are 'Video Library', 'Video Search', and 'Classrooms'. As shown in the frame 110, the Video Library view comprises a root directory entitled 'Video Library' which has various branches representing topics, for example, 'Business and Economics', 'Careers' and 'English'. Each of these topics is represented by an icon and can be expanded or contracted with conventional mouse functionality. A view area or frame 120, located for example along the upper margin of the main window 100 shows the contents of the selected branch of the root directory and some basic information such as level, subject and duration. In this example, the directory 'Health' is shown as having 2 videos as its contents. One is entitled 'Development of Public Health in Australia' and the other is entitled 'Strategies to Improve Public Health in Australia'. Accordingly, selected metadata about the selected video is depicted in the third frame or view area 130. As shown in

this example, the viewing area 130 depicts useful synopsis information about each video such as duration, educational level, the identity of the producer, the year, the distributor and the brief overview. The area 130 also includes a play button 132. A fourth viewing area 140 is tabbed to allow the user to access the Video artwork or cover, a list of chapters and other miscellaneous resources which are linked or relevant to the particular video being selected.

As shown in Figure 2, the same Player GUI window may allow a user to search the remote Video Library by selecting the 'Video Search' tab to display a search area 220. The sub-window or frame includes a query field 222 which allows a user to input a keyword or string and perform a search. The results of the search are depicted in a separate frame 222. The selection of a title in the display frame 222 causes the depiction of metadata in a third window 230. In this view it can also be seen that when the 'Chapters' tab is selected in the fourth sub-window or frame 140, a selectable list of chapters and their titles are displayed. Information about each chapter including duration may also be depicted. Double click on a chapter icon in frame 140 to view just that chapter.

As shown in Figure 3, the Player window, can also display a list of Classrooms when the Classroom tab is selected in the left hand frame. As shown in this example, the Classroom frame 310 depicts a directory structure in which branches of the directory represent different Classrooms that have server capability. The selection of a Classroom depicts in a separate area 320 the accessible contents of that Classroom. When a user selects a particular video from the second area 320 information is displayed in a third area 330 which relates to the selected video from the second window 320. Information is displayed in the third window 330 which relates to the selected video. Note that the third window 330 can contain the identity of a teacher as well as a Classroom message from that teacher. The video play button 332 may also be conveniently located in the same window.

Figure 4 depicts a window which is used by personnel authorised to manage and edit Classrooms. In the left hand view area 410, a directory tree of Classrooms is presented. Buttons along the right hand side 412 allow a user to add a Classroom, edit a Classroom, remove a Classroom, restart a Classroom or close the window.

5 Selecting the 'Edit Classroom' button of the Classroom management tool
depicted in Figure 4 opens an interface 500 of the type depicted in Figure 5. Depicted
in this window are the fields which allow a Classroom to be created such as the
Classroom Title, Classroom Owner and Classroom Message. Also depicted are a
directory browsing area 510 which displays the contents of the Video Library and a
contents viewing area 520 which shows the contents of any topic in the Library
which is selected. In this example, the 'Health' directory of the Video Library has
been selected to display its contents. One of the categories under the directory
10 'Health' is the sub-directory 'Strategies to Improve Public Health'. Because it is
selected, its contents are displayed in the area 520. One can see chapters 1-6 as well
as a relevant video support note in .pdf format. Using the Video Library sub-window
510 and the Video contents area 520, chapters and other immediate resources can be
dragged into the Classroom Contents area 530 to create content for particular selected
15 Classroom in this case, Year 7 Science.

20 As shown in Figure 6, the graphical user interface to the Video Library is
depicted as a window 600. As seen in the lower left hand corner, the Library server
status is indicated as 'Online'.

As shown in Figure 7, a collection can be managed because the contents of the
Video Library can be viewed, added to or removed from. Metadata about a particular
selected Video are displayed in a viewing area 710 and icons and chapter titles
including, for example, their durations are shown in a separate area 720. The main
25 window 700 may include a video viewer or multimedia player 730 which can be used
to preview videos or other media. A separate window 740 depicts resources which
are associated with a particular video.

30 As shown in Figure 8, adding a video to the Library can be done using mouse
button functionality. In this example, the selected category 'History' is associated
with a pop-up menu which allows a user to import a Video, add a Video, add a folder
or edit or remove that category.

As shown in Figure 9 the Library software 900 receives a Video file 910 as an input. If the video file is smaller than about 30MB then it is left intact. If it is larger than about 30MB it is partitioned in 2 or more segments or chapters. In most embodiments, segment or chapter sizes of about 20MB are preferred. A large video can be chapterised by detecting key frames and sub-dividing the larger file into appropriate segments which are defined by selected and convenient key frames. Some inputs 910 are handled as modules, that is, segments which are accompanied by separate and descriptive metadata. The software detects 912 if an input Video file has been chapterised. If it has been chapterised the file is stored to a hard drive and made available 914. In preferred embodiments, the video content 916 and the metadata files 918 are stored separately. If the input file is not chapterised the file is operated on by a splitter program 920 which breaks the input video down into conveniently sized chapters which are then stored and made available 914 as previously discussed.

As further shown in Figure 9 the Player software 930 allows the user 940 to make a request 932 by means of a graphical user interface. The request is transmitted over a TCP/IP network to the Library program 900. The first of the selected chapters is transmitted to the requesting Player 930. The incoming file is checked for completeness 950. If the complete chapter is received, the software determines if a previous chapter is playing 960. If not, the chapter is played 970 and a determination calculation is performed which predicts when the next chapter has to be requested 980 (see below). At the appropriate time, and before the completion of the previous chapter, the next chapter is requested 990 in time for timely uninterrupted viewing on the Player 930.

Figure 10 illustrates a schematic diagram which illustrates aspects of Predictive Chapter Buffering. As the Player software application plays a video 1000 a chapter counter 1010 designated n is set to $n=1$. The designation " n " corresponds, for example, to a chapter position on a user's playlist rather than an actual chapter number, although these might be the same in some instances. After this, a request 1012 is made for chapter n . As a result, chapter n is received 1014. The software then determines whether a previous chapter designated $n-1$ has finished playing 1016. This process continues 1018 until the condition is met that there is no chapter $n-1$ playing. At that point, the display of chapter n begins 1020. If n is less than the total

number of chapters requested then a determination is made 1032. The determination results in a next chapter request 1012, after an increment 1036, if the timing is appropriate. The timing is appropriate if it is determined that $A > B$ 1032. In this example of a request timing determination, A is equal to the time remaining in the display of chapter n, and B is $(I \times S_{n+1} \times SF) / S_n$, where I is the time interval measured between the time that chapter n was requested and the time it was received, S_{n+1} is the file size of n+1, SF is a safety factor (e.g. 2 in this example) and S_n is the file size of n. At the appropriate time indicated by the determination, the next chapter, still designated as chapter n but incremented to the next chapter 1036, is requested 1012.

10 If after the display of chapter n 1020, it is found that n is equal to the total number of chapters 1030 the software causes the Player to stop displaying chapters 1040.

As shown in Figure 11 a Library, as previously described 1100 is able to serve a number of Players 1110. Network congestion in the most critical location 1200 may be at least partially alleviated by configuring a Player on one particular computer 1206, to act as a sub-server to other computers anywhere on the network, but optimally to computers physically near it on the network such as those in the physical room represented at 1208. A sub-server, being physically closer to other computers on a network means transfer latency can be minimised. This particular Player software is able to serve a requested video to nearby computers which are running the Player software 1204. In this way, the computers 1204 which receive content from the Classroom server 1206 need not place any demand on the Library 1100 or congested portions on the network 1200.

25

- Business and Economics
- Careers
- English
- Food Technology
- Geography
- Health
- History
- Languages
- Mathematics
- Physical Education
- Science
- Society
- The Arts

112

Video Title

Level

Subject

Duration

Development of Public Health in Australia

Senior Secondary

Health

24 minutes

Strategies to Improve Public Health in Australia

Senior Secondary

Health

26 minutes

120

100

Fig. 1

Strategies to Improve Public Health in Australia

Duration: 26 minutes

Level: Senior Secondary

Produced By: Video Education Australia

Year: 2003

Distribution: Video Education Australia

Overview: Australians have one of the best health standards in the world, with the life expectancy increasing over 20 years in less than a century. How did we get here? Good public health measures, for the most part.

Play Video

132

110

130

140



ClickView

File View Tools Go Help

Video Library Video Search Classrooms

Enter search keywords:

2227

Health

Search

Clear

Video Title

Level

Subject

Duration

Development of Public Health in Australia

Senior Secondary

Health

24 minutes

Digit

Senior Primary

History

28 minutes

Strategies to Improve Public Health in Australia

Senior Secondary

Health

26 minutes

222

F19.2

Development of Public Health in Australia

▶ Play Video

Duration: 24 minutes

Level: Senior Secondary

Produced By: Video Education Australia

Year: 2003

Distributor: Video Education Australia

Overview: Australians have one of the best health standards in the world, with the life expectancy increasing over 20 years in less than a century. How did we get here? Good public health measures for the most part.

Cover

Chapters

Resources



Chapter 1: Introduction

00:02:19



Chapter 2: History

00:05:36



Chapter 3: New Public Health

00:05:36



Chapter 4: The Ottawa Charter

00:08:25



Chapter 5: Future of Public Health

00:01:28

220

230

1410

Status: Ready

Star

Library: Outlook Express

ClickView

ClickView

ClickView

EN

11:05 AM

School Classrooms

- Year 7 Science
- Year 8 Chemistry
- Year 6 Science

Video title

Level

Subject

Duration

Strategies to Improve Public Health in Australia

Senior Secondary

Health

26 minutes

Development of Public Health in Australia

Senior Secondary

Health

24 minutes

320

Fig. 3

Year 7 Science

Play Video

Teacher: Dr. Jones

Message: Hello Class

Today we will be learning about the public health system in Australia. Please watch the attached videos, then answer the questions in the video support notes.

Have fun!

330

332



Chapter 3: QUIT & P.H.

00:05:08



Chapter 4 - How QUIT Works

00:05:22



Chapter 6 - Complimentary Public Health

00:08:02

ChildView Classroom Management



School Classrooms



Year 7 Science

Year 8 Chemistry

Year 6 Science

Add Classroom

Edit Classroom

Remove Classroom

Restart Classroom

Close

Fig. 4

410

412

✖ Edit Classroom

Classroom Title: Year 7 Science

Classroom Owner: Dr Jones

Classroom Message:

Hello Class,

I today we will be learning about the public health system in Australia. Please watch the attached videos, then answer the questions in the video support notes.

Save Classroom

Cancel



Video Library

Video Library

Business and Economics

Careers

English

Food Technology

Geography

Health

Development of Public Health

Strategies to Improve Public Health

History

Languages

Mathematics

Physical Education

Science

Video Contents

Chapter 1 - Introduction

Chapter 2 - Ottawa Charter

Chapter 3 - QUIT & P.H.

Chapter 4 - How QUIT...

Chapter 5 - How QUIT...

Chapter 6 - Compliment..

Video Support Notes

S20

S30

19.5

Classroom Contents

Year 7 Science

Strategies to Improve Public Health in Australia

S30

Chapter 3 - QUIT & P.H.

Chapter 4 - How QUIT works

Chapter 6 - Complimentary Public Health

Video Support Notes

5007

ClickView Library

File View Tools Go Help

Video Library

Add Video Add Folder Remove

- Video Library
- Business and Economics
- Careers
- English
- Food Technology
- Geography
- Health
- History
- Languages
- Mathematics
- Physical Education
- Science
- Society
- The Arts

Video Details

Video Title:	
Duration:	
Year:	
Producer:	
Item Code:	
Distributor:	
SEIS Number:	
Grade Level:	
Description:	

Chapters


Chapter File	Duration
600	
~	

Add Remove

Resources

Resource Title	File Type
FIA 6	

Add Remove



Video Library

Add Video Add Folder Remove

Video Library

- Business and Economics
- Careers
- English
- Food Technology
- Geography
- Health
- Development of Public Health in
- Strategies to Improve Public Health
- History
- Languages
- Mathematics
- Physical Education
- Science
- Society
- The Arts

Video Details

Video Title: Development of Public Health in Australia

Duration: 24 minutes

Year: 2003

Producer: Video Education Australia

Alien Code: DEVEL4.D

Distributor: Video Education Australia

SCIS Number: SCIS1234

Grade Level: Senior Secondary

Descriptions:

Australians have one of the best health standards in the world, with the life expectancy increasing over 20 years in less than a century. How did we get here? Good public health measures, for the most part.

Chapters

Chapter Title

Chapter 1 - Introduction

00:02:19

Chapter 2 - History

00:05:36

Chapter 3 - New Public Health

00:05:36

Chapter 4 - The Ottawa Charter

00:08:25


Chapter 5 - Future of Public Health

00:01:28

Add Remove

710

700



Resources

Resource Title

Video Support Notes

Adobe Acrobat Document



740

Add Remove

Video Library

Add Video Add Folder Remove

Video Library

- Business and Economics
- Careers
- English
- Food Technology
- Geography
- Health
- History
- Lat
- Math
- PE
- Science
- Society
- The Arts

Import ClickView Video

Add Video

Add Folder

Edit

Remove

Video Details

Video Title:

Duration:

Year:

Producer:

Item Code:

Distributor:

SCIS Number:

Grade Level:

Description:

Chapters


Chapter Title	Duration

Add Remove

Resources

Resource Title	File Type

Add Remove



Media player controls: Play, Stop, Previous, Next, Full Screen, Repeat, Shuffle, Volume, and a progress bar.





Fig. 9






Fig. 11